Specifications

STRUCTURE

Structure designed for the highest seismic considerations for zone as stipulated by the code and better safety

FOUNDATION

Reinforced isolated footings

LIVING/DINING DOOM/LOUNGE

Mooring/&kirting : Italian stone

Wall Finishes : Acrylic emulsion on POP punning

Ceiling : Acrylic emulsion on POP punning

ALL BEDROOMS

Flooring/Skirting : Italian stone

Wall Finishes : Acrylic emulsion on POP punning

Ceiling : Acrylic emulsion on POP punning

TOILLE

flooring : Ceramic tiles

Wall l'inishes : Ceramic wall tiles up to Dado level

(approximately 2100 mm)

Acrylic emulsion on POP punning

(above 2100 mm)

Ceiling l'inishes : Acrylic emulsion on POP punning

Vanity Counter : Granite

Sanitary Ware : Hindware or Parryware, Doca or

equivalent brands with concealed eisterns

C.P. FITTINGS AND ACCESSORIES

Crobe/Jaquar/Poca toilet fittings or equivalent single lever fittings in all toilets.

All toilet floors provided with suitable and adequate water proofing treatment.

Provision for installation of geysers

KITCHEN

Flooring/Ekirting : Vitrified tiles/Ceramic tiles/Murble

Wall Finishes : Acrylic emulsion on POP punning

Ceiling : Acrylic emulsion on POP punning

COVERED VERANDAH

Flooring : Dolished Indian stone/Indian marble

Wall Finishes : Exterior grade paint on plaster

Ceiling l'inishes : Exterior grade paint on plaster

Handrail and Parapets : Combination of parapet walls and M.S.

Handrails as per the functional and

elevation requirements

STAIRCASE

Flooring : Polished Indian stone/Indian marble

on treads, risers and landings

Pailing : Painted M.S. handrails and balustrades

Wall l'inishes : Acrylic emulsion on POP punning

DOODS AND WINDOWS

Main Entrance Door Hardwood: Painted/Polished hardwood frame with

polished panelled door shutters

Internal Doors : Polished/Painted hardwood frame with

polished flush door shutters

Hardware Locks, handles and knobs (Mortise and

Cylindrical locks) from reputed makes and brands. High quality steel / brass

hardware

Windows and External Clazing: UPVC frame / Wooden windows with clear glass

EXTERNAL WALL FINISHES

External Wall Finishes : External grade anti-fungal/anti-algal

paint from reputed makes and brands/

natural stone walls

ELECTRICAL WIRING AND INSTALLATIONS

Fixtures and Fittings : 181 compliant modular switches/

sockets, distribution boxes and circuit

breakers from standard makes and

brands

Wiring : 181 compliant copper wiring in

concealed conduits. Adequate

provision for light points, fan points,

receptacles and power points in all

rooms. Electrical points for exhaust.

fans in kitchens and toilets

Plumbing : I&I compliant CPVC/ CI water supply

pipes with standard valves and

accessories. ISI compliant DVC waste

pipes and traps

Security System : IZPABX system or VDP system in the

premises

SERVANT ROOM/ STORE

Nooring/8kirting : Ceramic tiles

Wall linishes : Oil bound distemper

Ceiling : Oil bound distemper

RECREATIONAL FACILITIES

CENTRAL LANDSCAPED GARDEN

24 HOURS SECURITY

24 HOURS INDIVIDUAL POWER BACK-UP

NOTE: The above specifications are only indicative and some of these may be changed in consultation with the architect or equivalent at the discretion of the company.

